Eva 620 ✦

Collection: Elevate
Former name: Eva 620

Ceramic laundry sink, 45 litres

A fresh, white ceramic sink is superbly functional for laundry, makes a great baby bath or wash basin for guests and is also great for washing pets.

Eva's nanoglaze surface is ultra-smooth, dramatically reducing the ability of grime and bacteria to cling to the surface. Nanoglaze also contains antibacterial elements baked into the glaze that actively resist bacteria. This makes cleaning easier and the sink has a beautiful sheen.

Order codes

|		
NO OVERFLOW		
191505	Eva 620, 1 taphole	old code: SBC-620
191506	Eva 620, no taphole	old code: SBC-620-0T
OVERFLOW OPTION		
191941	Eva 620, 1 taphole, with overflow	

COLOUR WASTE OPTIONS AVAILABLE SEPARATELY
Note: Sink comes with Stainless Steel/Brushed Nickel waste as standard.

192166	Sink waste, Black Matte
192407	Sink waste, Brushed Gold
192406	Sink waste, Gunmetal

Product details

WASTE	90 mm stainless steel basket waste included. Colour options.
CAPACITY	45 litres.
OVERFLOW	Overflow option available, stainless steel, at rear of basin, approx 25-30mm from top. See image reference. Washing machine bypass hose may be connected to nipple of PVC waste under bench (not included).
MATERIAL	White vitreous china with nanoglaze surface.
FIXING	Waste must be sealed with silicone sealant to ensure watertight fit between basin and waste. Use silicone sealant. Do not use epoxy type adhesives. Always use the actual basin to verify cutout.

Overflow
option

Colour
waste
options
available

620

115

550

40

Use silicone
around waste
rim to ensure
watertight seal
between waste
and basin.

Minimum benchtop depth: 600 mm

BENCHTOP CUTOUT — 570W X 510 MM

510

570

115

35

335

Basket waste must
be fitted with
silicone sealant to
ensure watertight fit
between basin and
waste.

✦ Nanoglaze surface – ultra-smooth, anti-bacterial, easy to clean.

SEIMA

kitchen + laundry + bathroom ware

seima.com.au

Please note
– All measurements are in millimetres.
– Dimensions are nominal and subject to normal ceramic manufacturing variations of ±5mm.
– Fixing: Use silicone sealant. Do not use epoxy type adhesives.
– Always use the actual basin to verify cutout.
– Specifications may vary without notice as part of our continuous improvement practices.
– Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.